



WordPress Plugin for CopySafe PDF

-- Installation --

About this Plugin and CopySafe PDF

This WordPress plugin enables websites using WordPress CMS to upload, display and manage pages and posts that display protected PDF documents created by the CopySafe PDF software.

CopySafe PDF software is a separate application to this WordPress plugin and a license is required to apply Domain Lock on protected PDF so that they remain secure while displayed on your website. Otherwise the demo version of the CopySafe PDF software will encrypt PDF without Domain Lock.

Otherwise this WordPress plugin is provided as a free add-on.

Domain Lock

Using Domain Lock is strongly recommended as it prevents your protected PDF from being exploited. In a nutshell, Domain Lock prevents your encrypted PDF from being displayed on any other website, where protection levels can be varied to reduce protection, and thus enable copy and dissemination of your document. But when your protected PDF is Domain Locked to your website, it cannot be used or displayed anywhere else but from your web pages, where you have control over the protection settings.

So when you set a document to be protected from all copy, then it cannot be changed, and even if they manage to download and save your document, they will not be able to use it or even open it to view its contents.

To use Domain Lock, you first need a licensed version of the CopySafe PDF Protector software, the program that converts and encrypts your PDF documents, plus a license key for the website that you want to use.

Using CopySafe PDF in WordPress Web Pages

CMS solutions like Drupal, WordPress, Joomla and others make it easy for non-technical people to create and manage sophisticated websites. But adding new functions requires complex programming that can be beyond most web designers. So a plugin like this one is provided as an add-on, so that new functions like the display of CopySafe PDF documents, is made as easy as point-and-click with a mouse, while editing new or existing web pages with WordPress page editor.

Installation

This plugin can be installed like most other WordPress plugins by copying the files to plugins folder and enabling the plugin from the site admin's Configuration page.

Installation of the CopySafe PDF plugin for WordPress

The contents of wp-copysafe-web.zip is to be uploaded to your website to the WordPress plugins folder. You can unzip this file and upload via FTP or you can upload it and unpack it on the site from a file manager or Webmin. After installation, you should see a new folder with its contents at:

`/wp-content/plugins/wp-copysafe-pdf/`


Next, create a new folder in your uploads folder and set write permissions on it:

`/wp-content/uploads/copysafe-pdf/`

To complete installation, you can now go to your WordPress dashboard and view your plugins list. Here, you can click to 'activate" **CopySafe PDF**, after which a new menu item will appear in your left-hand column. By expanding your menu item for CopySafe PDF, you will see two (2) new menu items, one for Default settings and the other to List Uploaded Files.

Settings

Go to Administration » CopySafe PDF » Settings:



Settings

Default settings applied to all protected PDF pages:

Upload Folder:	<input type="text" value="wp-content/uploads/copysafe-pdf/"/>
Mode	Debugging Mode ▾
Max File Size:	<input type="text" value="100"/> KB
Language:	English ▾
Page color:	<input type="text" value="EEEEEE"/>
Allow IE:	<input checked="" type="checkbox"/>
Allow Firefox:	<input checked="" type="checkbox"/>
Allow Chrome:	<input checked="" type="checkbox"/>
Allow Navigator:	<input checked="" type="checkbox"/>
Allow Opera:	<input checked="" type="checkbox"/>
Allow Safari:	<input checked="" type="checkbox"/>

These settings are applied to all CopySafe PDF web pages.

Upload folder

Leave the default setting to be included in the normal WordPress upload folder, and it will be created automatically with the correct permissions. If you have upload problems, you may want to check that folder to ensure that everyone has write permissions.

Maximum Upload Size

This setting governs the maximum file size that can be uploaded.

Mode

You can set the Mode and change it at any time for debugging purposes:

1. Demo Mode - displays a placeholder image.
2. Licensed Mode - displays encrypted PDF and activates the CopySafe PDF browser plugin.
3. Debugging Mode - displays the html used in the object tag in a text area form object.

Language

The default language is English, but you can use this setting to change the language to be used on all pages. Note that this language setting is only applied to the buttons and messages within the Reader window area.

Page Color

Use this setting to control which color is used in the unused area of the Reader window, ie: the area not used by the document pages. Note that you should not include the usual # symbol that is commonly used in HTML color settings.

Select Browsers

This selection enables site owners to control who can access their protected PDF pages. If a browser is not allowed, then site visitors using that web browser will be redirected to a page explaining that their browser has not been permitted by the site owner.

Browser selection is commonly used in corporate intranets, where all users might be using Internet Explorer only.

CopySafe PDF Reader Installation

Viewing protected PDF displayed on a web page using a web browser requires a browser plugin. By installing the CopySafe PDF Reader, users are then equipped with reader support for both web browsers and reading on the desktop locally.

When anyone loads a web page that displays CopySafe PDF, their browser is checked for the plugin and if it is not found they are redirected to the appropriate download page with further instructions.

Reader & Plugin Downloads

This plugin includes the download page for the CopySafe PDF installer. That page currently links to the ArtistScope download site for the installer, but you are most welcome to download the installer and host it on your own website. Note that if you are doing this, then you will have to edit the download page to point to the new location of the download file.

Customizing the Download Pages


Any files found in the CopySafePDF folder that use “download” in their file name can be safely edited without affecting this plugin’s functions.

Licensing

This WordPress plugin is free. However, you will need a license to use the CopySafe PDF Protector and Domain Lock. See – http://www.artistscope.com/copysafe_pdf_protection_licensing.asp

Using the WordPress Plugin for CopySafe PDF

Add the code to display PDF at the current cursor position by clicking the [PDF] icon:



Editing the Shortcode

Once the shortcode for your encrypted images is added and the page has been saved, you may no longer be able to edit the shortcode by clicking on the CopySafe PDF button. But now that you have shortcode you can edit it manually at any time.

bgwidth is the width of the reader window in pixels and **bgheight** is the height in pixels.

prints_allowed set to 0 means that printing is not allowed. Otherwise you can nominate a number of prints as a limit. However this setting is only applied to the user's current session and if more stringent control is required then this number should be set to 1 and managed programmatically by recording the number of prints and then reducing the option to 0 when the allowance has been consumed.

print_anywhere is to be used with caution because enabling this option allows the user to print to any device including printer-drivers that may be file converters thus enabling the ability to create an unprotected document from your protected document. It is not recommended to allow this option but it is available for web designers to programmatically enable printing to select members.

allow_capture means what it says. If this option is enabled then users can use Print Screen and screen capture software to copy your document's contents. The default setting is 0 which also activates scripting to disable right-click mouse options and drag-drop of images to the desktop.

allow_remote can enable access from remote or virtual partitions such as when Mac users install Parallels to run Windows on their Mac. Remote viewing enables screenshots and is not recommended.